

SAFETY DATA SHEET
CONCOURS

Page: 1

Compilation date: 1/12/15

Revision Number: 1

Section 1: Identification of the substance/mixture and of the company undertaking

1.1. Product identifier

Product Name: CONCOURS
Product Code: ODKCON00

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC31 Polishes and Wax blends. AC1 Vehicles. SU21 Consumer uses: Private households. SU22 Professional uses: public domain (craftsmen, services)

1.3. Details of the supplier of the safety data sheet

Company Name: ODK
Unit 1 George Farm
Little Brickhill
Milton Keynes
MK17 9LT
Buckinghamshire
Tel. +44 (0)7930590854
Email. obidankarnubi@gmail.com

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: EUH066:
Most important adverse effects: Repeated exposure may cause skin dryness or cracking.

2.2. Label elements

Label elements: 1272/2008 CLP
Hazard pictogram(s)



Signal words: Warning!
Hazard statement(s): H304: May be fatal if swallowed and enters airways.
Precautionary statement(s): EUH066: Repeated exposure may cause skin dryness and cracking.
P102: Keep out of reach of children.

2.3. Other hazards

None known

[cont...]

SAFETY DATA SHEET
CONCOURS

Page: 2

Section 3. Composition/information on ingredients

3.2. Mixtures

| Hazardous ingredients | CAS No. | EC No. | %W/W | Hazard statements | Hazard pictograms |
|--|------------|-----------|--------|---|-------------------------|
| Hydrocarbons, C11- C14,, n—alkanes, isoalkanes, cyclics, <2% aromatics | | 926-141-6 | 50-70% | Asp. Tox. 1 H304 | GHS08 |
| Dimethyl Siloxane Ho- Term RXN Methylthoxy- Silane & Aminoethylamin- opyltrimethoxysilane | 69430-37-1 | | 0.90% | Flam. Liq. 2 H225 Skin. Irrit. 2 H315 Eye. Irrit. 2 H319 EUH066 | GHS02 GHS07 |
| Methanol | 67-56-1 | 200-659-6 | 0.09% | Flam. Liq. 2 H225 Acute. Tox. 3 H301 Acute. Tox. 3 H311 Acute. Tox. 3 H331 STOT SE 1 H370 | GHS02 GHS06 GHS08 |
| Octamethylcyclotetra- Silioxane | 556-67-2 | | 0.01% | Repr. 2 H361f Aquatic Chronic 4 | |

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Do not induce vomiting.

Inhalation: Move to fresh air in case of accidental inhalation of vapours. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Prolonged and repeated exposure can lead to skin dryness and cracking.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation to the throat.

Inhalation: There may be irritation to the throat with a feeling of tightness in chest.

Delayed / immediate effects: Prolonged and repeated exposure can lead to skin dryness and cracking.

4.3. Indication of any immediate medical attention and special treatment needed.

Immediate / special treatment: Treat symptomatically, show safety data sheet to a doctor.

Section 5: Fire-fighting measures

5.1. Extinguishing media:

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

[cont...]

SAFETY DATA SHEET
CONCOURS

Page: 3

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Provide adequate ventilation. Avoid dust generation. Do not breathe dust. Wear suitable eye/face protection.

6.2 Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3 Methods and material for containment and cleaning up

Clean up procedures: Wash the spillage site with large amounts of water.

6.4 Reference to other sections

Reference to other sections: See section 7 for safe handling. See section 8 for information on personal protective equipment. See section 13 for disposal information.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid the formation or spread of dust in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area.
Suitable packaging: It is recommended to store in original packaging.

7.3. Specific end use(s)

Specific end use(s): AC1 Vehicles. PC31 Polishes and wax blends. SU21 Consumer uses: private households (=general public = consumers) SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous Ingredients:

HYDROCARBONS, C11- C14, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

Workplace exposure limits:

Respirable dust:

| | | | | |
|-------|------------|--------------|------------|-------------|
| State | 8 Hour TWA | 15 min. STEL | 8 hour TWA | 15min. STEL |
| EU | 5mg/m3 | 10mg/m3 | - | - |

[cont...]

SAFETY DATA SHEET
CONCOURS

Page: 4

METHANOL.

Workplace exposure limits:

Respirable dust:

| State | 8 Hour TWA | 15 min. STEL | 8 hour TWA | 15min. STEL |
|-------|------------|--------------|------------|-------------|
| UK | 266mg/m3 | 333mg/m3 | - | - |

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: If ventilation is insufficient, suitable respiratory protection must be provided

Hand protection: Chemical resistant gloves (PVC)

Eye protection: Not normally required. Avoid contact to eyes.

Skin protection: Wear suitable protective clothing.

Thermal Hazards: None known.

Section 9: Information on physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance: Solid
Colour: Yellow
Odour: Mango
Melting point: 55°C – 85°C
Boiling point: 199°C – 260°C
Autoignition temperature: > 200°C
Viscosity: > 10000 x 10⁻⁶ m²/s @ 40°C (ISO3104/3105)
Flash point: 75°C
Upper exposure limit: 7.00%
Lower exposure limit: 0.50%
Solubility: Insoluble in water

9.2. Other Information

VOC (Volitile organic compounds) 514g/l

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport and storage conditions. Decomposition may occur on exposure to conditions listed below.

[cont...]

SAFETY DATA SHEET
CONCOURS

Page: 5

10.4. Conditions to avoid

Materials to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Not known.

10.6. Hazardous decomposition products:

Haz. Decomp. Products: Not known.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values: No data available.

Symptoms/ routes of exposure

Skin contact: Repeated exposure may cause skin dryness and cracking.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation with a feeling of tightness in the chest.

Delayed/ immediate effects: Prolonged and repeated exposure can lead to skin dryness and cracking.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility in soil: No data available.

12.5. Results of PBT and vPvB assessment

PBT Identification: No data available.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by a specialised company.

Disposal of packaging: Arrange for collection by a specialised company.

NB: The user's attention is drawn to the possible existence of regional and national regulations regarding disposal.

[cont...]

SAFETY DATA SHEET
CONCOURS

Page: 6

Section 14: Transport Information:

Transport Class: Not classed as hazardous for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/ legislation specific for the substance or mixture

Specific regulations: REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45EC and repealing Council Regulation (EEC) No 793/93 and commission regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EC, 93/67EEC, 93/105EC, and 2000/21/EC.

Section 16: Other information

Other information

Hazard pictogram(s):



Hazard statement(s): EUH066: Repeated exposure may cause skin dryness and cracking.

Precautionary statement(s): P102: Keep out of reach of children.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used as only a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

(final page)