Page: 1

Compilation date: 12/06/15

Revision Number : 1

Section 1: Identification of the substance/mixture and of the company undertaking

1.1. Product identifier

Product Name: STERLING Product Code: ODKSTE00

1.2. Relevant identified uses of the substance or mixture and uses advised against

 Use of substance / mixture:
 PC31 Polishes and Wax blends. AC1 Vehicles. SU21 Consumer uses: Private households. SU22 Professional uses: public domain (craftsmen,services)

 1.3. Details of the supplier of the safety data sheet
 1.3. Details of the supplier of the safety data sheet

Company Name: ODK Unit 1 George Farm Little Brickhill Milton Keynes MK17 9LT Buckinghamshire Tel. +44 (0)7930590854 Email. obidankarnubi@gmail.com

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: EUH066: P102: Most important adverse effects: Repeated exposure may cause skin dryness or cracking. Keep out of reach of children.

2.2. Label elements

Label elements: 1272/2008 CLP Hazard pictogram(s)



Signal words: Warning!

Hazard statement(s): H304: May be fatal if swallowed and enters airways.

Precautionary statement(s): EUH066: Repeated exposure may cause skin dryness and cracking.

P102: Keep out of reach of children.

```
2.3. Other hazards
```

None known

SAFETY DATA SHEET STERLING

Page: 2

Section 3. Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

HYDROCARBONS, C11- C14, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

EINECS	CAS	PBT / WEL	CLP Classification	Percent
926-141-6	-	-	Asp. Tox. 1: H304	40-60%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.
Eye contact: Bathe the eye with running water for 15 minutes.
Ingestion: Wash out mouth with water. Do not induce vomiting.
Inhalation: Move to fresh air in case of accidental inhalation of vapours. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Prolonged and repeated exposure can lead to skin dryness and cracking.
Eye contact: There may be irritation and redness.
Ingestion: There may be irritation to the throat.
Inhalation: There may be irritation to the throat with a feeling of tightness in chest.

Delayed / immediate effects: Prolonged and repeated exposure can lead to skin dryness and cracking.

4.3. Indication of any immediate mediacal attention and special treatment needed.

Immediate / special treatment: Treat symptomatically, show safety data sheet to a doctor.

Section 5: Fire-fighting measures

5.1. Exstinguishing media:

Exstinguishing media: Suitable exstinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

[cont...]

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Provide adequate ventilation. Avoid dust generation. Do not breathe dust. Wear suitable eye/face protection.

6.2 Enviromental precautions

Enviromental precautions: Do not discharge into drains or rivers.

6.3 Methods and material fr containment and cleaning up

Clean up procedures: Wash the spillage site with large amounts of water.

6.4 Reference to other sections

Reference to other sections: See section 7 for safe handling. See section 8 for information on personal protective equipment. See section 13 for disposal information.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid the formation or spread of dust in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. **Suitable packaging:** It is recommended to store in original packaging.

7.3. Specific end use(s)

Specific end use(s): AC1 Vehicles. PC31 Polishes and wax blends. SU21 Consumer uses: private households (=general public = consumers) SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Respirable dust

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

HYDROCARBONS, C11- C14, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

Workplace exposure limits:

State	8 Hour TWA	15 min. STEL	8 hour TWA	15min. STEL
EU	5mg/m3	10mg/m3	-	-

Page: 3

SAFETY DATA SHEET STERLING

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: If ventilation is insufficient, suitable respiratory protection must be provided

Hand protection: Chemical resistant gloves (PVC)

Eye protection: Not normally required. Avoid contact to eyes.

Skin protection: Wear suitable protective clothing.

Thermal Hazards: None known.

Section 9: Information on physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:SolidColour:Natural/whiteOdour:Mango and PapayaMelting point: 55° C - 85° CBoiling point: 199° C - 260° CAutoignition temperature:> 200° CViscosity:> 10000×10 -6 m²/s @ 40° C (ISO3104/3105)Flash point: 75° CUpper exposure limit:7.00%Lower exposure limit:0.50%Solubility:Insoluble in water

9.2. Other Information

VOC (Volitile organic 514g/l compounds)

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage cor

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport and storage conditions. Decomposition may occur on exposure to conditions listed below.

SAFETY DATA SHEET STERLING

Page: 5

10.4. Conditions to avoid

Materials to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Not known.

10.6. Hazardous decomposition products:

Haz. Decomp. Products: Not known.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values: No data available.

Symptoms/ routes of exposure

 Skin contact:
 Repeated exposure may cause skin dryness and cracking.

 Eye contact:
 There may be irritation and redness.

 Ingestion:
 There may be irritation of the throat.

 Inhalation:
 There may be irritation with a feeling of tightness in the chest.

 Delayed/ immediate effects:
 Prolonged and repeated exposure can lead to skin dryness and cracking.

Section 12: Ecological information

12.1. Toxicity	
Ecotoxicity values:	No data available.
12.2. Persistence and degradabi	lity
Persistence and degradability:	No data available.
12.3. Bioaccumulative potential	
Bioaccumulative potential:	No data available.
12.4. Mobility in soil	
Mobility in soil:	No data available.
12.5. Results of PBT and vPvB a	assessment
PBT Identification:	No data available.
12.6. Other adverse effects	
Other adverse effects:	No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by a specialised company.
 Disposal of packaging: Arrange for collection by a specialised company.
 NB: The user's attention is drawn to the possible existence of regional and national regulations regarding disposal.

Section 14: Transport Information:

Transport Class: Not classed as hazardous for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/ legislation specific for the substance or mixture

Specific regulations: REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45EC and repealing Council Regulation (EEC) No 793/93 and commission regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EC, 93/67EEC, 93/105EC, and 2000/21/EC.

Section 16: Other information

Ρ

Other information Hazard pictogram(s):

Hazard statement(s):	H304: May be fatal if swallowed and enters airways.
	EUH066: Repeated exposure may cause skin dryness and cracking.
recautionary statement(s):	P102: Keep out of reach of children.
	$\mathbf{T}_{\mathbf{b}}$, \mathbf{b} and \mathbf{b} and \mathbf{b} and \mathbf{c} and \mathbf{b} and \mathbf{b} and \mathbf{c} and \mathbf{b} and \mathbf{b} and \mathbf{c} and \mathbf{c} and \mathbf{c} and \mathbf{c}

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used as only a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Page: 6